RESUMO - IV. PESQUISA CIENTÍFICA RELACIONADA À AVALIAÇÃO DAS PRÁTICAS E GESTÃO DO CUIDADO EM ENFERMAGEM

APEGO AL INDICADOR MÉTODO ENFERMERO EN ÁREAS DE HOSPITALIZACIÓN DE UN NOSOCOMIO DE TERCER NIVEL

Abraham Rojas Gómez (rojas19892013@gmail.com)

Martha Pérez Mendoza (comocehgm@outlook.com)

Salvador Calleja Alarcon (scallejadrums@hotmail.com)

Yeni Martínez Hernández (j_en_jordan@hotmail.com)

Sergio López Rodríguez (lors1108@gmail.com)

María Patricia Padilla Zárate (patt_pz@hotmail.com)

Adesão ao Indicador do Método de Enfermagem em Áreas de Internação de um Hospital de Terceiro Nível

RESUMO

Introdução

A Enfermagem utiliza o Processo de Enfermagem (PE) como uma abordagem sistemática para prestar cuidados centrados no paciente identificado, prevenindo e tratando problemas reais ou potenciais e promovendo o bem-

estar. Avaliar a adesão a essa metodologia permite que as instituições de saúde identifiquem fragilidades e implementem ações de melhoria

Objetivo

Determinar a frequência de adesão ao indicador ME nas áreas de internação de um hospital de terceiro nível.

Metodologia

Estudo observacional, transversal, realizado entre setembro e dezembro de 2025 em 20 unidades médico-cirúrgicas de internação. A amostra foi composta por 174 profissionais de enfermagem. A adesão foi avaliada por meio de um instrumento validado com 43 itens politômicos. Considerou-se conformidade uma pontuação superior a 80%. A coleta de dados foi realizada por quatro observadores especialistas durante a prestação dos cuidados.

Resultados e Discussão

Participaram 174 profissionais, com mediana (IIQ) de idade de 35 (30–47) anos; 82,8% eram mulheres; 19% possuíam licenciatura; 60,3% tinham contrato temporário; e 20,7% trabalhavam no turno noturno. A conformidade geral com o indicador foi de 60,3% (IC95%: 60,0–60,3; p = 0,013). Os grupos que cumpriram o indicador apresentaram diferença estatisticamente significativa na faixa etária de 41–50 anos, com OR de 0,03. Na regressão ajustada, a faixa etária de 41–50 anos apresentou menor probabilidade de conformidade (OR 2,19; IC95%: 1,02–4,69). O turno noturno apresentou maior probabilidade de conformidade (OR 0,27; IC95%: 0,11–0,66).

Conclusões

Os profissionais na faixa etária mais jovem (20–30 anos) apresentaram menor conformidade com o indicador. Entre os seis turnos de trabalho, o turno diurno apresentou maior conformidade. Vários autores mencionam a necessidade de fortalecer as competências de Enfermagem utilizando supervisão e acompanhamento incidental e/ou programado com retroalimentação in situ.

Palavras-chave:

Nursing, Nursing Process, Nursing Care, Nursing Audit, Nursing Records.

Referências Bibliográficas:

1. Tolera GG, Badasa K, Deressa H, Fayera H, Chala M, Deyasa M, et al. Increasing the rate of nursing process implementation: a quality improvement project at Wollega University Comprehensive Specialized Hospital, 2025. BMJ Open Qual. 2025;14(4):e003576.

2. Toney-Butler TJ, Thayer JM. Proceso de enfermería. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan [updated 2023 Apr 10]. Available from: https://www.ncbi.nlm.nih.gov/books/NBK499937

3. Bunting J, de Klerk M. Strategies to improve compliance with clinical nursing documentation guidelines in the acute hospital setting: a systematic review and analysis. SAGE Open Nurs. 2022;8:23779608221075165. doi:10.1177/23779608221075165

4. Ernstmeyer K, Christman E, editors. Fundamentos de enfermería [Internet]. 2nd ed. Eau Claire (WI): Chippewa Valley Technical College; 2024. Part IV, Proceso de enfermería. Available from: https://www.ncbi.nlm.nih.gov/books/NBK610818/

5. Bayih WA, Ayalew MY, Belay DM, Alemu AY, Birihane BM, Asnakew S, et al. The implementation of nursing process during patient care in Ethiopia: a systematic review and meta-analysis. Heliyon. 2021;7(5):e0693

Adherence to the Nursing Process Indicator in Hospitalization Areas of a Tertiary-Level Hospital

ABSTRACT

Introduction

Nursing uses the Nursing Process (NP) as a method to provide care through a systematic, patient-centered approach aimed at identifying, preventing, and treating actual or potential health problems, as well as promoting well-being.

Measuring adherence to this methodology improves professional practice to identify weaknesses and generate improvement actions.

Objective

To determine the frequency of adherence to the NP indicator in the hospitalization areas of a tertiary-level hospital.

Methodology

An observational, cross-sectional study was conducted from September to December 2025 in 20 medical-surgical specialty services. The sample was proportional according to specialty and work shift. A validated instrument with 43 polytomous items was used. A result >80% was considered compliant. Data collection was carried out by four experts through observation during patient care.

Results and Discussion

A total of 174 professionals participated, with a median age (IQR) of 35 (30–47); 82.8% were women. Regarding academic level, 19% had technical training, 60.3% held a bachelor's degree, and 20.7% had postgraduate education. Overall, 60.3% of the staff complied with the NP indicator. Among the non-compliant group, the 20–30 age range showed a significant difference (p=0.013). The groups with statistically significant compliance were the 41–50 age range (p=0.042) and the daytime work shift (p=0.03). In the multiple logistic regression analysis, the 20–30 age range increased the risk of non-compliance by 1.19 times, OR 2.19 (95% CI=1.02–4.69); the daytime work shift represented greater compliance with OR 0.27 (95% CI: 0.11–0.66).

Conclusions

Professionals in the younger age range (20–30 years) showed lower compliance with the indicator. Among the six work shifts, the daytime shift demonstrated greater compliance. Several authors mention the need to strengthen nursing competencies through incidental and/or scheduled supervision and follow-up within situ feedback.

Keywords:

Nursing, Nursing Process, Nursing Care, Nursing Audit, Nursing Records.

References:

1. Tolera GG, Badasa K, Deressa H, Fayera H, Chala M, Deyasa M, et al. Increasing the rate of nursing process implementation: a quality improvement project at Wollega University Comprehensive Specialized Hospital, 2025. BMJ Open Qual. 2025;14(4):e003576.

2. Toney-Butler TJ, Thayer JM. Proceso de enfermería. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan [updated 2023 Apr 10]. Available from: https://www.ncbi.nlm.nih.gov/books/NBK499937

3. Bunting J, de Klerk M. Strategies to improve compliance with clinical nursing documentation guidelines in the acute hospital setting: a systematic review and analysis. SAGE Open Nurs. 2022;8:23779608221075165. doi:10.1177/23779608221075165

4. Ernstmeyer K, Christman E, editors. Fundamentos de enfermería [Internet]. 2nd ed. Eau Claire (WI): Chippewa Valley Technical College; 2024. Part IV, Proceso de enfermería. Available from: https://www.ncbi.nlm.nih.gov/books/NBK610818/

5. Bayih WA, Ayalew MY, Belay DM, Alemu AY, Birihane BM, Asnakew S, et al. The implementation of nursing process during patient care in Ethiopia: a systematic review and meta-analysis. Heliyon. 2021;7(5):e0693

Palavras-chave: nursing; nursing process; nursing care; nursing audit; nursing records.